

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the **PATENT** of:

Donald L. Schilling

Patent No.: 7,519,098

Issued: April 14, 2009

Appln. No.: 10/782,165

Filed: February 19, 2004

Confirmation No.: 4996

For: SPREAD SPECTRUM BASE STATION
NOTCH FILTERING TRANSMITTED
SIGNALS

Our File: I-2-0049,4US

Date: December 16, 2009

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

A Certificate of Correction under 35 U.S.C. §§ 254, 255 and 37 C.F.R. §§1.322, 1.323 is requested for U.S. Patent No. 7,519,098. Correction of the following errors is requested.

ON THE TITLE PAGE

Item (57), ABSTRACT, page 1, right column, line 2, after the word “system”, delete “with” and insert --which--.

IN THE SPECIFICATION

At column 7, line 28, after the word “greater” insert --than--.

At column 12, line 9, after the word “antenna” delete “bean” and insert therefor
--beam--.

At column 14, line 24, after the word “come” delete “in” and insert therefor
--within--.

IN THE CLAIMS

At claim 1, column 14, line 29, after the word “using” delete “a”.

At claim 5, column 14, line 54, after the first use of the word “further” delete the
second use of the word “further”.

At claim 19, column 16, line 3, after the word “whereby” delete “at”.

Patentee: Donald L. Schilling
Patent No.: 7,519,098

REMARKS

Patentees believe that the above errors are of such a nature as to justify the issuance of a Certificate of Correction. Patentees have enclosed a completed Certificate of Correction Form PTO/SB/44.

Since at least one of the errors was caused by Applicants, please charge the surcharge fee pursuant to C.F.R. §1.20(a) of \$100.00 to the Deposit Account of InterDigital Communications Corporation, Deposit Account No. 09-0435.

Patentees respectfully request that the Certificate of Correction be issued.

Respectfully submitted,

Donald L. Schilling

By /Joseph P. Gushue/
Registration No. 59,819
(215) 568-6400

Volpe and Koenig, P.C.
United Plaza, Suite 1600
30 South 17th Street
Philadelphia, PA 19103

JPG/emb